



IlluminEyes

Make-up Base: Anti-ageing Cosmetic, Silky gel

Formulation 00704

ATTRIBUTES

- Good spreadability
- Luxurious, dry, light feel
- Very comfortable to wear
- Anti-ageing Cosmetic
- Silky gel

DOW CORNING® PRODUCTS

- DOW CORNING® 5200 FORMULATION AID
- DOW CORNING® 5562 CARBINOL FLUID
- DOW CORNING® 9546 SILICONE ELASTOMER BLEND
- DOW CORNING® BY 11-030

XIAMETER® PRODUCTS

- XIAMETER® PMX-0245 CYCLOPENTASILOXANE

Ingredient	Wt. %	Trade Name/Supplier
Phase A		
1. Cyclopentasiloxane and PEG/PPG-19/19 Dimethicone	16	DOW CORNING® BY 11-030
2. Cyclopentasiloxane	29.9	XIAMETER® PMX-0245 CYCLOPENTASILOXANE
3. Isononyl Isononanoate	3.7	DUB ININ / Stearinerie Dubois Fils
4. Cyclopentasiloxane (and) Dimethicone Crosspolymer (and) Dimethicone/Vinyl Dimethicone Crosspolymer (and) Dimethiconol	12.3	DOW CORNING® 9546 SILICONE ELASTOMER BLEND
5. Lauryl PEG/PPG-18/18 Methicone	1.2	DOW CORNING® 5200 FORMULATION AID
6. Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Butylparaben (and) Isobutylparaben (and) Propylparaben	0.5	Dekaben / Jan Dekker
7. Perfume	0.5	Hydra / Symrise
Phase B		
8. Water	8.7	
9. Hydrolyzed Rice Bran Protein, Oxido Reductases, Glycine Soja Protein	4	Regu-Age / Pentapharm, CH
Phase C		
10. Cyclopentasiloxane	12.9	XIAMETER® PMX-0245 CYCLOPENTASILOXANE
11. Bis-Hydroxyethoxypropyl Dimethicone	5	DOW CORNING® 5562 CARBINOL FLUID
12. Mica (and) Silica	1.44	Micronasphere M / Merck

		KGaA
13. Titanium Dioxide (and) Mica	0.3	Timiron Silk Gold / Merck KGaA
14. Titanium Dioxide	2.86	Oxyde De Titane Organophile W 877 / Sensient
15. Iron Oxides Yellow	0.7	Covasil 3.05 Yellow W 1802 / Sensient

Procedure

1. Prepare a pigment premix by blending phase C ingredients and homogenize until a uniform color is obtained.
2. Mix phase A except DC 9546 and stir using moderate speed until BY 11-030 is completely dissolved.
3. Add the pigment premix and stir until homogeneous.
4. Add ingredient 4 while mixing and increasing speed. Mix until homogeneous.
5. Mix Phase B ingredients together and add to Phase A with mixing.
6. Be aware that the mixture will quickly develop high viscosity.
7. Continue mixing for an additional 5 minutes.

Variations

Alternative Dow Corning® Products have not been tested as of this printing.

Stability

Stable for at least 6 months at room temperature and 40°C.

External Reference Material

No external references identified as of this printing.

Dow Corning® Application Patents

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow Corning believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow Corning has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent.

SAFE HANDLING INFORMATION
 PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED.
 BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. FOR THE MATERIAL SAFETY DATA SHEET PLEASE SEE OUR WEB SITE, DOWCORNING.COM, OR CONSULT YOUR LOCAL DOW CORNING REPRESENTATIVE.

Dow Corning is a registered trademark of Dow Corning Corporation.
 XIAMETER is a registered trademark of Dow Corning Corporation.

© 2010 Dow Corning Corporation. All rights reserved.