

Breathe

Facial Gel: Light Feel, Quick Absorption, Smooth Feel

Formulation 00894

ATTRIBUTES

Ease of Spreading
Powdery Feel
Sebum absorption
Light Feel
Quick Absorption
Smooth Feel

DOW CORNING® PRODUCTS

Dow Corning® 2-1184 FLUID
Dow Corning® 2501 COSMETIC WAX
Dow Corning® 7-3101 ELASTOMER BLEND HIP EMULSION
Dow Corning® 9509 E-POWDER SUSPENSION
Dow Corning® RM 2051 THICKENING AGENT

Ingredient	Wt. %	Trade Name/Supplier
Phase A		
1. Cyclopentasiloxane (and) Dimethicone Crosspolymer (and) Dimethicone (and) Laureth-23 (and) Laureth-4	65.5	Dow Corning® 7-3101 ELASTOMER BLEND HIP EMULSION
2. Dimethicone / Vinyl Dimethicone Crosspolymer (and) C12-14 Pareth-12	10	Dow Corning® 9509 E-POWDER SUSPENSION
3. Bis-PEG-18 Methyl Ether Dimethyl Silane	5	Dow Corning® 2501 COSMETIC WAX
4. Water (and) Hydrolyzed Soy Protein (and) Propylene Glycol	1	Oxylastil / Sederma, Inc.
5. Glycerin	5.5	Glycerin / No Supplier Specified
6. Propylene Glycol and Water and Panax Ginseng Root Extract	1	Vegetol Ginseng GR 471 Hydro / Gattefosse S.A.
7. DMDM Hydantoin	0.1	Glydant 2000 / Lonza
Phase B		
8. Dimethicone (and) Trisiloxane	8.4	Dow Corning® 2-1184 FLUID
9. Sodium Polyacrylate (and) Dimethicone (and) Cyclopentasiloxane (and) Trideceth-6 (and) PEG/PPG-18/18 Dimethicone	2	Dow Corning® RM 2051 THICKENING AGENT
10. Argania Spinosa Kernel Extract (and) Serenoa Serrulata Fruit Extract (and) Sesamum Indicum (Sesame) Seed Extract	1	REGU -SEB / Pentapharm, CH
Phase C		
11. Fragrance	0.5	Matrix 0600900 / Symrise

Procedure

1. Mix all ingredients to phase A, with heating 30C until the wax is completely melted and homogenous
2. Slightly heat phase B
3. Add slowly phase B to phase A (800 RPM)
4. Add fragrance and mix well.

5. The product will progressively become translucent

Variations

Alternative Dow Corning® Products have not been tested as of this printing.

Stability

Stable for at least 6 months at RT. Stable for at least 6 months at 50°C. Stable for at least 5 freeze-thaw cycles.

External Reference Material

Experience the Difference - Second Skin - September 2006 Viscosity: 350000 cSt (spd: 6, rpm: 2.5). Fragrance Matrix 0600900 contains: Alpha-Isomethyl Ionone , Butylphenyl Methylpropional and are listed in Annex III, Part I of 76/768/EEC to be allergens. CTW August06

Dow Corning® Application Patents

Dow Corning hopes that this suggested formulation will be of interest to you, but you should be cautioned that this is only a representative formulation and is not a commercialized product. Dow Corning believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. In addition, Dow Corning has not undertaken a comprehensive patent search on the formulation. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. Suggestions of uses should not be taken as inducements to infringe any particular patent.

SAFE HANDLING INFORMATION

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED. BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE MATERIAL SAFETY DATA SHEET IS AVAILABLE FROM YOUR DOW CORNING REPRESENTATIVE, OR DISTRIBUTOR, OR BY WRITING TO DOW CORNING CUSTOMER SERVICE, OR BY CALLING (989) 496-6000.

Dow Corning is a registered trademark of Dow Corning Corporation.

Copyright 1999 Dow Corning Corporation. All rights reserved.