

Acai Revitalizing Body Cream Cream: Cold Processing, Moisturization

Formulation 01115

ATTRIBUTES

- Silky Smooth
- Smooth Feel
- Cold Processing
- Moisturization

DOW CORNING® PRODUCTS

- DOW CORNING® 9509 SILICONE ELASTOMER SUSPENSION
- DOW CORNING® RM 2051 THICKENING AGENT

XIAMETER® PRODUCTS

- XIAMETER® PMX-0245 CYCLOPENTASILOXANE
- XIAMETER® PMX-200 SILICONE FLUID 350CS

Ingredient	Wt. %	Trade Name/Supplier
Phase A		
1. Sodium Polyacrylate (and) Dimethicone (and) Cyclopentasiloxane (and) Trideceth-6 (and) PEG/PPG-18/18 Dimethicone	9	DOW CORNING® RM 2051 THICKENING AGENT
2. Cyclopentasiloxane	4	XIAMETER® PMX-0245 CYCLOPENTASILOXANE
3. Euterpe Oleracea Fruit Oil	3	Rain Forest RF 4420 / Beraca - Grupo Sabara
4. Dimethicone	1.8	XIAMETER® PMX-200 SILICONE FLUID 350CS
5. Butyrospermum Parkii (Shea) Oil	1.8	Shea Oil - Ultra Refined / Biochemica
Phase B		
6. Dimethicone / Vinyl Dimethicone Crosspolymer (and) C12-14 Pareth-12	3	DOW CORNING® 9509 SILICONE ELASTOMER SUSPENSION
7. Water	74.3	
8. DMDM Hydantoin	0.1	Glydant / Lonza
9. Glycerin	3	No Tradename Specified / No Supplier Specified

Procedure

1. Combine phase A ingredients and mix.
2. Mix phase B ingredients together.
3. Add phase B to phase A with mixing.

Variations

Alternative Dow Corning® Products have not been tested as of this printing.

Stability

Stability data for this formulation has not been established.

External Reference Material

No external references identified as of this printing.

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow Corning believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow Corning has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent.

SAFE HANDLING INFORMATION

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED. BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. FOR THE MATERIAL SAFETY DATA SHEET PLEASE SEE OUR WEB SITE, DOWCORNING.COM, OR CONSULT YOUR LOCAL DOW CORNING REPRESENTATIVE.

Dow Corning is a registered trademark of Dow Corning Corporation.
XIAMETER is a registered trademark of Dow Corning Corporation.

© 2010 Dow Corning Corporation. All rights reserved.

Print Date: 11/18/2011

Last Updated: 10/21/2009 1:27:14 PM