

# Glittering Hydration Essence

## Leave In Conditioner: Extra Shine, High Spreadability, Silky Smooth

Formulation 00814

### ATTRIBUTES

- Soft Feel
- Extra Shine
- High Spreadability
- Silky Smooth

### **DOW CORNING**® PRODUCTS

- DOW CORNING® 556 FLUID
- DOW CORNING® RM 2051 THICKENING AGENT

### XIAMETER® PRODUCTS

- XIAMETER® PMX-0345 CYCLOSILOXANE BLEND
- XIAMETER® PMX-1503 FLUID

Ingredient	Wt. %	Trade Name/Supplier
Phase A		
1. Dimethicone (and) Dimethiconol	3	XIAMETER® PMX-1503 FLUID
2. Cyclopentasiloxane (and) Cyclohexasiloxane	5	XIAMETER® PMX-0345 CYCLOSILOXANE BLEND
3. Phenyl Trimethicone	2	DOW CORNING® 556 FLUID
4. D-alpha Tocopherol Acetate	0.5	
5. Sodium Polyacrylate (and) Dimethicone (and) Cyclopentasiloxane (and) Trideceth-6 (and) PEG/PPG-18/18 Dimethicone	4	DOW CORNING® RM 2051 THICKENING AGENT
Phase B		
6. Butylene Glycol	5	1,3-Butylene Glycol / No Supplier Specified
7. Water	78	
Phase C		
8. Preservative (choice)	0.5	
9. Fragrance	0.5	
10. Mica	1.5	
11. Yellow 5	q.s.	FD&C Yellow 5 W 081 / Sensient

### Procedure

1. Combine phase A ingredients and mix.
2. Mix phase B ingredients together.
3. Add phase A to phase B with gentle mixing.
4. Add phase C ingredients.

### Variations

Alternative Dow Corning® Products have not been tested as of this printing.

### Stability

Stability data for this formulation has not been established.

### External Reference Material

Fragrance: Lorenzo 468560 / Symrise

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow Corning believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow Corning has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent.

SAFE HANDLING INFORMATION

PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED. BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. FOR THE MATERIAL SAFETY DATA SHEET PLEASE SEE OUR WEB SITE, DOWCORNING.COM, OR CONSULT YOUR LOCAL DOW CORNING REPRESENTATIVE.

*Dow Corning* is a registered trademark of Dow Corning Corporation.  
XIAMETER is a registered trademark of Dow Corning Corporation.

© 2010 Dow Corning Corporation. All rights reserved.