

Glam's Touch Make-up: Illuminator

Formulation 01233

ATTRIBUTES

- Anhydrous formulation
- Ease of Spreading
- Radiance
- Silky and Powdery Feel
- Illuminator

DOW CORNING® PRODUCTS

- DOW CORNING® 9041 SILICONE ELASTOMER BLEND
- DOW CORNING® EL-8040 ID SILICONE ORGANIC BLEND
- DOW CORNING® FZ-3196
- DOW CORNING® SW-8005 C30 RESIN WAX
- DOW CORNING® VM-2270 AEROGEL FINE PARTICLES

Ingredient	Wt. %	Trade Name/Supplier
Phase A		
1. Isododecane (and) Dimethicone Crosspolymer	25	DOW CORNING® EL-8040 ID SILICONE ORGANIC BLEND
2. Dimethicone (and) Dimethicone Crosspolymer	25	DOW CORNING® 9041 SILICONE ELASTOMER BLEND
3. Silica Silylate	0.1	DOW CORNING® VM-2270 AEROGEL FINE PARTICLES
4. Caprylyl Methicone	26.9	DOW CORNING® FZ-3196
5. C30-45 Alkyldimethylsilyl Polypropylsilsesquioxane	13	DOW CORNING® SW-8005 C30 RESIN WAX
6. Mica (and) CI77491 (and) CI77891	10	Covapearl Antique Silver 239 / LCW Sensient

Procedure

1. Add all ingredients of phase A in a closed mixing vessel and heat to 85°C.
2. Mix phase A by using a closed mixing vessel with a condenser and nitrogen gas to make the head space of the mixer inert as a safety precaution.
3. Let cool it down to 30°C with mixing.

Variations

Alternative Dow Corning® Products have not been tested as of this printing.

Stability

Stable for 1 month at room temperature and 40°C.

External Reference Material

No external references identified as of this printing.

Dow Corning® Application Patents

Dow Corning hopes that this suggested formulation will be of interest to you, but you should be cautioned that this is only a representative formulation and is not a commercialized product. Dow Corning believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. In addition, Dow Corning has not undertaken a comprehensive patent search on the formulation. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. Suggestions of uses should not be taken as inducements to infringe any particular patent.

SAFE HANDLING INFORMATION
PRODUCT SAFETY INFORMATION REQUIRED FOR SAFE USE IS NOT INCLUDED.
BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION.

THE MATERIAL SAFETY DATA SHEET IS AVAILABLE FROM YOUR DOW CORNING REPRESENTATIVE, OR DISTRIBUTOR, OR BY WRITING TO DOW CORNING CUSTOMER SERVICE, OR BY CALLING (989) 496-6000.
Dow Corning is a registered trademark of Dow Corning Corporation.
Copyright 2007 Dow Corning Corporation. All rights reserved.

Print Date: 12/5/2008

Last Updated: 10/22/2008 11:59:55 AM